

## **AMENDMENTS TO THE CLAIMS**

1-17 (Cancelled)

18. (Currently Amended) A method for interpreting nonverbal communicative behavior of an individual, the method comprising the steps of:

recognizing events and observing a behavior pattern comprised of multiple behaviors performed by the individual;

acquiring access to a collection of behavior pattern codes, each behavior pattern code comprised of a string of behavior codes, each behavior code having an associated explanation;

assigning a behavior pattern code to the behavior pattern and each recognized event, formed by stringing together the codes associated with the multiple behaviors;

correlating recognized events to one of behaviors and behavior patterns by associating event data with each behavior code, wherein the event data comprises the event code of each event which has been correlated with the behavior associated with the behavior code, the time of the occurrence of the event, the number of occurrences of the event;

updating the event data associated with the behavior code in the collection of behavior codes which matches an observed behavior code upon the recognition of an event occurring within a selected time interval preceding and following the performance of the behavior;

comparing the observed behavior pattern code to the collection of behavior pattern codes;

retrieving the explanation associated with each behavior code of the string of behavior codes; and

reporting the results of the comparison.

19. (Original) The method according to Claim 18, wherein the collection of behavior codes and the collection of behavior pattern codes are acquired according to past behaviors and behavior patterns performed by the individual.

20. (Original) The method according to Claim 18, wherein the collection of behavior codes and the collection of behavior pattern codes are acquired according to past behaviors and

behavior patterns performed by multiple individuals.

21. (Cancelled)

22. (Currently Amended) The method according to claim 1821, wherein an event causes an influence upon the behavior of the individual and comprises at least one of: a) presence of an object, b) movement of an object, c) movement of the individual relative to an object, d) an occurrence in the schedule of the individual, e) an occurrence expected to take place in the schedule of the individual, and f) a detected change in the condition of the individual.

23. (Cancelled)

24. (Currently Amended) The method according to Claim 1823, wherein the step of correlating recognized events further comprises:

analyzing event data for a selected behavior code from the collection of behavior codes, to determine which event occurrences are related to a behaviors represented by the selected behavior code according to the number of occurrences and the time interval between the event and the occurrence of the behavior.

25. (Currently Amended) The method according to Claim 1823, wherein the step of correlating recognized events further comprises: determining which observed behaviors performed by an individual occur within a selected time interval of one another repetitively, for establishing a behavior pattern; comparing correlated events for each of the observed behaviors included in the behavior pattern, and determining which of the correlated events are the same.

26. (Previously Presented) The method according to Claim 18, wherein the method further comprises the steps of:

recognizing the occurrence of an event which could pose a danger to the individual; and transmitting an alert upon the recognition of a danger posing event.

27. (Original) The method according to Claim 26, further comprising the steps of:  
associating a danger alert to behavior codes in the collection of behavior codes for behavior  
codes associated with behaviors which indicate that an individual is in danger;  
upon comparing observed behavior codes associated with behaviors observed following a  
danger posing event occurred, retrieving existing danger alerts for each matched behavior code;  
and  
transmitting an alert upon retrieval of a danger alert.

28. (Cancelled)

29. (Currently Amended) A system for interpreting nonverbal communicative behavior  
of an individual, the system comprising:  
means for recording a behavior performed by the individual;  
a user interface in communication with the recording means for receiving recordings; and  
an Analysis Provider Server in communication with the user interface, said Analysis  
Provider Server receiving a recording of a behavior in the form of a file of a series of frames;  
said Analysis Provider Server comprising;

means for assigning a recorded behavior code to the recorded behavior, said  
means for assigning including a Digitize and Sample Module for sampling the frames of the  
received recording at regular intervals and forming the sampled frames into a digital compressed  
formatted File of Sampled Frames with each sampled frame having a time stamp indicative of the  
relative time it was recorded, and a Behavior Coder (BC) Module for recognizing behavior units  
which comprise the behavior, assigning a behavior unit code to each behavior unit, and  
combining the behavior unit codes to form a recorded behavior code;

a Behavior Code Database for storing known behavior codes associated with known  
behaviors, each known behavior code having an associated explanation associated thereto and  
including the behavior unit codes; and

means for comparing the recorded behavior code with the known behavior codes in the  
Behavior Code Database and retrieving the explanation associated with each of the known  
behavior codes which match the recorded behavior code, said means for comparing including a

Behavior Code Matching (BCM) Module for searching the Behavior Code Database for behavior codes having behavior units having property units matching the property units of the observed behavior code;

wherein the behavior units comprise gesture units and sound units, the behavior unit codes comprise gesture unit codes, sound unit codes, and property unit codes, and the property unit codes of a gesture unit code comprise a body part unit code, a movement type unit code, a body position unit code and a duration unit code, and the behavior unit codes comprising the recorded behavior code are prioritized according to one of: chronological order, frequency of occurrence in database and degree of dominance;

and wherein a user enters, via the user interface, a requested series of behavior codes, and the Analysis Provider Server comprises a Behavior Series Matching (BCM) Module for determining when the individual performs a series of behaviors which correspond to the requested series of behavior codes.

30. (Cancelled)

31. (Currently Amended) The system according to Claim 2930, wherein the Analysis Provider Server further comprises an Individual Personal Data database for storing data about the individual, the data comprising identification, age, body measurements and voice characteristics.

32. (Original) The system according to Claim 31, wherein the Digitize and Sample Module is in communication with a Scaling Module for applying a scaling factor selected according to the data stored in the Individual Personal Data database to the sampled frames of the digital compressed file for providing a standardized version of the sampled frames to the means for assigning a recorded behavior code to the recorded behavior.

33. (Currently Amended) The system according to Claim 2930, wherein the Digitize and Sample Module is in communication with a Noise Elimination Module for eliminating from the sampled frames recorded activity which is not meaningful to behaviors of the individual.

34-35 (Cancelled)

36. (Currently Amended) The system according to Claim 2935, wherein the BC Module is in communication with a Synchronizer Module for synchronizing the gesture unit codes and the sound unit codes to form the recorded behavior code.

37. (Currently Amended) The system according to Claim 2935, wherein the BC Module is in communication with a Behavior Begin/End Detector Module for determining the end of the recorded behavior and the beginning of a subsequent recorded behavior.

38. (Currently Amended) The system according to Claim 2935, wherein the BC Module concatenates the behavior unit codes in chronological order, with each behavior unit code indicating when the associated behavior unit occurred simultaneously with the behavior unit associated with the previous behavior unit code.

39. (Cancelled)

40. (Currently Amended) The system according to Claim 2939, wherein the property unit codes of a sound gesture code comprise a sound description unit code, a sound intensity unit code, a sound pitch unit code and a duration period code.

41-42. (Cancelled)

43. (Currently Amended) The system according to Claim 2942, wherein the Behavior Code Database is searched according to the priority of the behavior unit codes and the property unit codes.

44. (Currently Amended) The system according to Claim 2941, wherein the means for

comparing the recorded behavior code with the known behavior codes stored in the database synchronizes the comparison of the gesture unit codes and the sound unit codes of the recorded behavior code to the gesture unit codes and the sound unit codes of the stored behavior codes.

45. (Cancelled)

46. (Currently Amended) The system according to claim 2945, wherein the Analysis Provider Server further comprises a Web Server for receiving data from and transmitting data to the user interface.

47. (Original) The system according to claim 46, wherein the Analysis Provider Server further comprises a Subscriber Database for storing data relative to the users of the system comprising an identification number, personal data and financial data.

48. (Original) The system according to claim 47, wherein the Behavior Code Database comprises a record for each behavior code, each record comprising a field for storing:

the behavior code; an Identification Number for the behavior code; a link to the file of the received recording; a link to the File of the Sampled Frames; a primary explanation for the behavior code; a link to a list of similar behavior codes; a link to a list of related explanations for the behavior code with dates of entry and identification numbers for the submitting users; recommendations related to the behavior code with dates of entry and identification numbers for the submitting users; an identification number for the user who first submitted the behavior code; an identification number for the individual; and an indicator that the behavior code indicates that the individual is in danger.

49. (Original) The system according to claim 48, wherein the Analysis Provider Server further comprises an Individual Behavior Codes Database for storing records for at least one of behavior codes or series of behavior codes performed by the individual, wherein each record comprises a field for storing:

the behavior code; a key number for the behavior code; a link to the file of the received

recording; a link to the File of the Sampled Frames; a primary explanation for the behavior code; a link to a list of similar behavior codes; a link to a list of related explanations for the behavior code; recommendations related to the behavior code; and an indicator that the behavior code indicates that the individual is in danger.

50. (Original) The system according to claim 49, wherein the Analysis Provider Server further comprises an Individual Event Database for storing events relating to the schedule, environment and condition of the individual, each event having an event code and a danger indicator which indicates if the event poses a danger to the individual.

51. (Original) The system according to claim 50, wherein the Analysis Provider Server further comprises a Situational Analyzer (SA) Module for correlating events to recorded and stored behavior codes and series of behavior codes;

wherein the events influence the behavior of the individual and comprise at least one of: a) a presence of an object, b) movement of an object, c) movement of the individual relative to an object d) an occurrence in the schedule of the individual, e) an occurrence expected to take place in the schedule of the individual, or f) a detected change in the condition of the individual.

52. (Original) The system according to claim 51, wherein the Situational Analyzer Module comprises:

a General Event Database;  
an Event Identifier/Tracker (EI/T) Module for tracking objects and recognizing the occurrence of events in the File of Sampled Frames; and  
an Event/Behavior Correlator (E/BC) Module for correlating recognized events with behaviors recorded in the File of Sampled Frames.

53. (Original) The system according to claim 52, wherein the EI/T Module recognizes objects in the File of Sampled Frames and identifies the objects by looking them up in the Individual Event Database and the General Event Database.

54. (Original) The system according to claim 52, wherein the SA Module further comprises a Labeling Module for identifying events; and

wherein the EI/T Module queries the Labeling Module when a recognized event is not identified, and upon receiving a successful identification of the event from the Labeling Module, the EI/T adds the event into at least one of the Individual Event Database or General Event Database.

55. (Original) The system according to claim 49 wherein each record at least one of the Behavior Code Database and the Individual Behavior Code Database further comprises a field for storing a link to event data, wherein the event data comprises an event code for each event which has been correlated with the behavior code, the time of the occurrence of each correlated event relative to the occurrence of the behavior associated with the behavior code, and the number of occurrences of each correlated event.

56. (Original) The system according to claim 52, wherein the E/BC Module correlates recognized events to the behavior recorded in the File of Sampled Frames by determining when a recognized event occurs within a selected time interval preceding and following the performance of the behavior; and

updates the associated event data of the behavior code associated with the performed behavior in at least one of the Behavior Code Database and the Individual Behavior Code Database.

57. (Original) The system according to claim 52, wherein the Individual Event Database and the General Event Database include a field for each event which indicates when the occurrence of the event poses a threat to the individual;

and wherein the SA Module causes an alert to be transmitted to a caretaker of the individual upon recognition of the occurrence of danger posing event.

58. (Original) The system according to claim 51, wherein the SA Module further

comprises a Behavior Pattern Recognizing (BPR) Module, wherein said BPR Module recognizes the repetitive occurrences of series of behavior codes for establishing behavior patterns and recognizes the occurrence of a behavior pattern performed by the individual.

59. (Original) The system according to claim 29, wherein the AP Server provides the user interface with interactive web pages to enable a user

to submit one of a live stream of recordings and a selected recorded segments;

and to enable the user to request that the AP Server recognize at least one of a specific behavior, a specific series of behaviors, a specific event, all behaviors and all repeated behavior pattern.

60. (Original) The system according to Claim 59, wherein the AP server enables the user to request that the AP Server correlate at least one of a behavior to a specified event, an event to a specified behavior, an event to a specified series of behaviors, and correlation of events to all recognized behaviors.

61. (Original) The system according to claim 59, wherein the user specifies a behavior and a series of behaviors by entering, at a Web Page provided, one of the behavior codes for each behavior, the identification number for each behavior and behavior units comprising the behavior.

62. (Original) The system according to claim 50, wherein the user enters events into the Individual Event Database, at a Web Page provided, by one of: entering descriptions of each event; viewing the recording in a view window on a Web Page, selecting an object displayed in the view window and identifying the object; and viewing the recording in a view window on a Web Page and entering the event which occurred at the time shown in the view window.

63. (Original) The system according to claim 29, wherein the Analysis Provider Server further comprises a Query Module for processing user requests to enter and access data stored in

the AP Server.

64. (Original) The system according to claim 63, wherein the Analysis Provider Server further comprises a Report Generator Module for transmitting messages, results from submitted requests and alerts to the user interface.

65-67. (Cancelled)

68. (Previously Presented) A method for interpreting nonverbal communicative behavior of an individual, the method comprising the steps of:

observing a behavior pattern comprised of multiple behaviors performed by the individual;

acquiring access to a collection of behavior pattern codes, each behavior pattern code comprised of a string of behavior codes, each behavior code having an associated explanation;

assigning a behavior pattern code to the behavior pattern, formed by stringing together the codes associated with the multiple behaviors;

comparing the observed behavior pattern code to the collection of behavior pattern codes;

retrieving the explanation associated with each behavior code of the string of behavior codes;

recognizing events and assigning an event code to each recognized event;

correlating recognized events to one of behaviors and behavior patterns by associating event data with each behavior code, wherein the event data comprises event code of each event which has been correlated with the behavior associated with the behavior code, a time of occurrence of the event and a number of occurrences of the event, and updating the event data associated with the behavior code in the collection of behavior codes which matches an observed behavior code upon the recognition of an event occurring within a selected time interval preceding and following the performance of the behavior; and

reporting the results of the comparison.

69: (Previously Presented) The method according to Claim 68, wherein the step of correlating recognized events further comprises:

analyzing event data for a selected behavior code from the collection of behavior codes, to determine which event occurrences are related to a behaviors represented by the selected behavior code according to the number of occurrences and the time interval between the event and the occurrence of the behavior.

70. (Previously Presented) The method according to Claim 68, wherein the step of correlating recognized events further comprises: determining which observed behaviors performed by an individual occur within a selected time interval of one another repetitively, for establishing a behavior pattern; comparing correlated events for each of the observed behaviors included in the behavior pattern, and determining which of the correlated events are the same.